

Multi-Criterion Optimization for the EWMA and MEWMA Quality Control Charts Employing Genetic Algorithms

FRANCISCO APARISI, J. CARLOS GARCÍA-DÍAZ

Departamento de Estadística e Investigación Operativa Aplicadas y Calidad.

Universidad Politécnica de Valencia.

46022 Valencia.

SPAIN

<http://go.to/aparisi>

Abstract: The EWMA quality control chart, and its multivariate version (MEWMA), may be designed to efficiently detect small shifts in the mean vector of a set of p quality characteristics of a production process. However, this work presents a method for the optimal design of the parameters of the MEWMA and EWMA charts to control processes where it is not convenient to detect small magnitude shifts and, at the same time, powerful enough to detect shifts considered important. This problem can be considered as a multiobjective optimization where two regions of different performance are defined. The objective of this paper is to find the best MEWMA and EWMA quality control charts given the previous regions, where the requirements for each region has to be balanced to decide which solution is better. For this purpose, friendly Windows software has been developed to optimize this problem, using Genetic Algorithms. Results show that the design using our approach outperforms the other designs.

Key-Words: - Genetic Algorithms, EWMA, MEWMA, Quality Control

1 Introduction

Nowadays it begins to be common to face problems or applications where the mathematical modelling produces a optimization problem with several objectives. The multiobjective optimization consists of optimizing simultaneously several objective functions. In many cases, some of the objective functions represent more or less conflicting criteria. Obviously, in these cases no unique solution can be found because the entire objective functions cannot be optimized (maximized or minimized) without considering the effect of the experimental changes in the other response functions.

In general terms, the optimization problem can be formulated as follows, being n the number of decision variables, x_j , m restrictions and p objectives:

Find $\mathbf{x} (x_1, x_2, \dots, x_n)$ that
Maximize / minimize $Z = (z_1(\mathbf{x}), z_2(\mathbf{x}), \dots, z_n(\mathbf{x}))$
Subject to $\mathbf{x} \in F$

With $F \subset R^n$, F feasible region of solutions space R^n and $Z = z(F) \subset R^p$, Z feasible region of objectives space R^p . Many times the set F can be written as $F = \{ \mathbf{x} \in R^n : g_i(\mathbf{x}) \leq 0, x_j \leq 0, \forall i, j \}$ when g_i functions are the restrictions. In some cases, variables z_k are called objective functions or objectives.

One of the most used methods in multiobjective optimization is minimizing weighted sums of functions. Mathematically, this method is expressed as:

$$\text{Maximize } z(\mathbf{x}) = \sum_{k=1}^p w_k z_k(\mathbf{x})$$

Subject to $\mathbf{x} \in F$

where $w_k \geq 0$ is the weight corresponding to objective $z_k(\mathbf{x})$ and can be interpreted as the importance of objective k in comparison with the rest of objectives. Now the problem is reduced to find $P(w)$ where $w = (w_1, w_2, \dots, w_p)$. Hence, the multiobjective problem is now reduced to a unique optimization problem.

The objective of this paper is to apply Evolutionary Multi-Criterion Optimization to the design of MEWMA and EWMA quality control charts.

2 EWMA and MEWMA Control Charts

The statistical design of a quality control chart like EWMA or MEWMA consists of selecting three parameters. The performance of the chart (measured

through ARL) depends on these parameters, sample size, n , position of control limits, L , and a smoothing constant r .

EWMA (Exponentially Weighted Moving-Average) control charts were introduced by Roberts [3] as an alternative to Shewhart control charts for the detection of small shifts in the process. However, Shewhart control chart only takes into account the present information of the process and does not detect quickly changes smaller than 2σ . EWMA control charts take into account present and past information and therefore they are more efficient (fast) in detecting small shifts (Montgomery [4]). A widely used measurement of the efficiency of a process statistical control method is the ARL (Average Run Length). The ARL is the average number of samples to take (points in the chart) until an out-of-control-signal appears.

In the case of EWMA, the statistical data to chart Z_i , to be compared with control limits at instant i , is obtained as a weighted average value according to parameter r between the observed value \bar{X}_i and the smoothed value Z_{i-1} , following the expression:

$$Z_i = r\bar{X}_i + (1-r)Z_{i-1} \quad (1)$$

As it can be observed, weighting is done with parameter r so that the smaller the parameter is, the greater the influence of past observations as weight decreases geometrically in function of r . This is the reason why EWMA control charts are said to have "human memory" since they provide weights to data exponentially: assigning more weight to present data which decreases as data are far back in the past. When $r = 1$, then the average value is represented by the Shewhart control chart, and when $r = 0$, Z_i is a constant equal to μ_0 .

EWMA control chart sensitivity to detect changes in the process depends on the value of r . When r tends to 1 EWMA values will depend on the most recent observations and the behaviour of the control chart is similar to that of the Shewhart control chart. However, as r tends to 0, the historical behaviour of the process gets more weight, and then it approaches the behaviour of normal CUSUM charts. A recommended value for r is 0.2 (Hunter [5]). For Z_0 the value adopted is the nominal average value μ_0 or the sampling average value in in-control processes. Some authors (Hunter [5], Crowder [6] and Lucas and Saccucci [7]) have studied the properties of this chart for the statistical control of industrial processes.

Let's analyze the design of the chart. If the quality variable to control is distributed according to

$N(\mu_0, \sigma_0)$ in in-control processes and the observations are independent, therefore, the control limits of the EWMA control chart are calculated with the expression:

$$\begin{aligned} \text{UCL} &= \mu_0 + L \cdot \sigma_0 / \sqrt{n} \cdot \sqrt{\frac{r}{2-r}} \\ \text{LCL} &= \mu_0 - L \cdot \sigma_0 / \sqrt{n} \cdot \sqrt{\frac{r}{2-r}} \end{aligned} \quad (2)$$

where L and r are selected to get a given in-control ARL and n is the size of the subgroup. A typical value of L is 3, following the criterion 3σ , of the Shewhart control chart. If we want to obtain an in-control ARL, ARL_0 , of 370.4 ($\alpha = 0.0027$), then we should fix the value of $r = 0.25$ and $L = 2.898$.

The first reference on multivariate EWMA (MEWMA) control charts corresponds to Lowry, Woodall, Champ and Rigdon [1] who define MEWMA as an extension of the univariate EWMA. Hotelling's T^2 multivariate control chart only takes into account current process data, whereas MEWMA chart also includes past data, thereby it being more powerful to detect small changes in the process.

Univariate systems only controlled one quality variable or characteristic. In multivariate systems a set of p interrelated variables will be controlled. In this latter case, $\vec{X}_1, \vec{X}_2, \dots$, are run length vectors p which represent the sampling average values of the process. Let random vectors \vec{X}_i be independent and equally distributed following a p -variate normal variable of vector $\vec{\mu}$ and covariance matrix Σ , $\vec{X}_i \text{ iid} \approx N_p(\vec{\mu}, \Sigma)$. The process will be under control if $\vec{\mu} = \vec{\mu}_0$ and out of control in the opposite case. Vector \vec{Z}_i is defined as

$$\vec{Z}_i = r\vec{X}_i + (1-r)\vec{Z}_{i-1}, \quad i \geq 1 \quad (3)$$

The starting vector is $\vec{Z}_0 = \vec{\mu}_0$, since the process is in control, $E(\vec{Z}_i) = \vec{\mu}_0$ and covariance matrix of \vec{Z}_i is $\Sigma_{\vec{Z}_i}$ whose expression is given here below. \vec{X}_i is the vector of the sampling data and r is a scalar value between 0 and 1. If $r = 1$ we will obtain Hotelling's T^2 control chart. The statistical data charted T_i^2 is defined as

$$T_i^2 = \vec{Z}_i' \Sigma_{\vec{Z}_i}^{-1} \vec{Z}_i \quad (4)$$

where $\Sigma_{\vec{Z}_i}^{-1}$ is the inverse of the variance-covariance matrix of Z_i . The covariance matrix of Z_i is expressed

by:

$$\Sigma_{Z_i} = \frac{r[1-(1-r)^{2i}]}{2-r} \Sigma \quad (5)$$

The measurement of vector shift (or distance between two vectors) used in multivariate analysis is Mahalanobis' distance. In our case, the distance between the original mean vector and the new mean vector is $d = \sqrt{(\mu_i - \mu_0)' \Sigma^{-1} (\mu_i - \mu_0)}$. The ARL performance of the MEWMA chart depends only on the noncentrality parameter $\lambda = nd^2$, where n is sample size (Lowry, Woodall, Champ and Rigdon [1] and Lowry and Montgomery [8]).

For the design of the MEWMA control chart, the asymptotic covariance matrix can be used, given by:

$$\Sigma_Z = \lim_{i \rightarrow \infty} \Sigma_{Z_i} = \left(\frac{r}{2-r} \right) \Sigma \quad (6)$$

similarly to what happened in univariate systems for individual observations. For sample size other than 1, equation (6) corrected by n will be obtained (Rigdon [9])

$$\Sigma_Z = \left(\frac{r}{(2-r)n} \right) \Sigma \quad (7)$$

The chart displays an out-of-control signal when $T^2 > h$, where h is the control limit selected to obtain a given value of ARL for in-control processes (ARL_0).

The comparison of the ARLs (obtained through simulation) presented in Rigdon's work shows that MEWMA, using the exact covariance matrix given by equation (5), is somewhat higher than MCUSUM, specially when the average value vector presents great changes.

Woodall [2] studied the statistical design of control charts and recommended choosing the magnitude of the shift that it is important to detect as a design criterion for control charts. For this purpose, he suggested defining three regions: in-control, indifferent, and out-of-control. These regions will be limited by two values (A and B), as follows:

a) In-control region $[0, A]$. This region corresponds to a state equivalent to one in-control and is made up of a shift change that ranges from $d = 0$ to $d = A$. No shift detection is required in this region. A maximum ARL is needed. If the chart shows an out-of-control sign, this is regarded as a false alarm.

b) Out-of-control region $[B, \infty]$, corresponding to the shift value $d > B$. Maximum detection power is required from this area. A minimum ARL is needed.

c) Indifferent region, $]B, A[$, covering $d > A$ and $d < B$. This region is indifferent if the process shift is detected or not.

Therefore, giving A and B values and the number of variables to control simultaneously we desire to find the parameters of EWMA and MEWMA control charts (r , L and n) that satisfy the Woodall regions. In addition, a minimum in-control ARL (ARL_0) is specified and the ARL for $d = A$ has to be equal to a given one, ARL_A . This value ARL_A is a restriction that will help to make comparisons against \bar{X} chart Hotelling's T^2 control chart, as shown in figure 1.




Fig. 1. ARL curve.

In this work, the additive utility function method has been employed. This procedure converts the multiobjective problem into a optimization problem with only one objective. This method is based on defining a function that combines the different objectives, using weights that show the relative importance of each objective for the user. Once this function is obtained, the uni-objective problem is solved.

In this case we have two objectives ($p = 2$) to optimize:

$$z_1(x) = ARL_0 - ARL_{\min} \quad \text{and} \quad z_2(x) = -ARL_B$$

where $z_1(x)$ is a objective to maximize, as it is desired to have control charts that satisfy $ARL_0 \geq ARL_{\min}$ and $z_2(x)$ has a negative values because ARL_B has to be minimum. Finally, our optimization problem is:

$$\text{Maximize } z(x) = \sum_{k=1}^p w_k z_k(x) = w_1 z_1(x) + w_2 z_2(x)$$

$$= w_1 \cdot (ARL_0 - ARL_{\min}) - w_2 \cdot ARL_B$$

Subject to

$$|ARL_{PA} - ARL_A| \leq tol \text{ and } ARL_0 \geq ARL_{\min}$$

where ARL_0 is the in-control ARL for $d = 0$, ARL_B is the ARL for point B , ARL_A is the real ARL for point A , ARL_{PA} is the ARL desired (user input) in point A , ARL_{\min} is the desired minimum ARL for $d = 0$ and w_1, w_2 are the weights. In our case we have employed the weights $w_1 = 1$ and $w_2 = 50$.

3 Searching the Optimum Using Genetics Algorithms

Genetic Algorithms (GA) are optimization algorithms based on the natural evolution of the species (Holland [10], Goldberg [11]). The search for the global optimum value in an optimization problem is carried out when an initial population (generation) of individuals passes to a new population (next generation) through the application of genetic operators. In the original population, each individual represents a possible solution to the optimization problem, that is, a population of individuals consists of a set of possible solutions to the problem to optimize. The principles, implementation and applications of GA can be followed in Bäck [12], Chambers [13] and Michalewicz [14].

The assessment function, referred to as fitness function, assigns to each individual of the population (set of possible solutions to the problem to optimize) the fitness value, which indicates the fitness of that individual with respect to the other individuals of the population. The "fitness" value is a quality value of the individual and the only data processed by GA to search for the best solution to the problem. Its correct definition allows for a better operation of the algorithm since to find the global optimum value the search is exclusively guided by the "fitness" value of the possible solutions.

Prior to the application of the genetic algorithm we have to code the solutions, that is, it is necessary to define how to better represent each possible solution to the problem, an aspect that is essential for the design and efficiency of the GA. The genetic algorithm operates on a coded representation of the solutions, equivalent to the genetic material of an individual, and not directly on the solutions. These parameters known as genes, form chains referred to as chromosomes. In this paper the following crossover mechanisms has been employed to these chromosomes: 1 point, 2 points and uniform (Bäck [12], Beasley et al [15, 16]), obtaining the best results

with the 2 points operator.

During the last years, many researchers have paid attention to the problems involved with multiobjective optimization (Schaffer [17], Tabucanon [18], Fonseca and Fleming [19], Zitzler et al. [20], Coello et al. [21]). The first multiobjective GA was the named Vector Evaluated Genetic Algorithm (VEGA), Schaffer [17]. Recently, more perfectioned GA has been proposed. The most important are: the Multiobjective Genetic Algorithm (MOGA), Fonseca and Fleming, [22], the Niche Pareto Genetic Algorithm (NPGA), Horn et al. [23], the Nondominated Sorting Genetic Algorithm (NSGA), Srinivas and Deb [24], the Strength Pareto Evolutionary Algorithm (SPEA), Zitzler and Thiele [25] and the Pareto-Archived Evolutionary Strategy (PAES), Knowles and Corne [26].

To solve this multiobjective optimization friendly Windows software has been developed.

4 Results. Example of application

We will now move on to the optimum design of the EWMA control chart, with a sample size not fixed previously, by using the software developed. We call the EWMA chart found by the software developed in this work "EWMA-Regions". We wish to compare the chart obtained with an \bar{X} chart for the ARL in-control ($d = 0$) of 500, presenting an ARL in $d = A = 0.25$ of 373.88.

The programme entry data are: minimum desirable ARL_0 of 1500, and ARL_{PA} of 373.88. Once the programme has been run we obtain the "EWMA-Regions" optimum control chart ($r = 0.91, L = 3.4, n = 5$).

In Figure 2, the ARL values for the chart "EWMA-Regions" is compared to the ARL for the \bar{X} chart. Also we include the EWMA control chart optimum to detect a shift of size $d = B = 1.5$. This EWMA chart is called "EWMA-Point", because it is optimum for only this point. Running the software developed by Aparisi and García-Díaz [27] the "EWMA-point" control chart is characterised by the parameters $L = 3.09$ and $r = 0.85$ for $n = 5$ and an $ARL_0 = 500$. A copy of this software can be downloaded at <http://tt.upv.es/~faparisi>.

It can be seen how the "EWMA-Region" and \bar{X} control charts have the same ARL in point A . This defines the region of shifts we are not interested in detecting ($d < 0.25$). As we commented in Section 3,




Fig. 2. ARL comparison.

the best control scheme would be one where the region $d < 0.25$ has the largest ARL value (lowest power), and presents the smallest ARL value (maximum power) for shift magnitudes $d > 1.5$.

Compared to the “EWMA-Point”, the “EWMA-Regions” chart offers the advantage of producing lower probability of false alarms. This is because its ARL is much higher in the region of shifts not to be detected, $d < 0.25$. On the other hand, it can be seen that for shifts that are genuinely important to detect, $d > 1.5$, both EWMA charts show very similar powers, although the EWMA-point is slightly more powerful. In the indifferent region, $0.25 < d < 1.5$, the optimum EWMA is more powerful in $d = 1.5$, although, as it was discussed before, the ARLs in this region are not important.

The final conclusion to be drawn is that the EWMA chart obtained using the software developed in this paper practically have the same power for detecting genuinely important shifts than the EWMA chart that is more efficient at detecting

shifts in $d = 1.5$. However, the “EWMA-Regions” charts has a very low probability of false alarm in the in-control region.

5 Conclusions

In view of the results discussed in this work, we may draw the following conclusions. The genetic algorithms technique has proved to be a suitable method for the optimisation of the EWMA and MEWMA control charts using the regions defined by Woodall [2]. An easy-to-use software programme has been developed in a Windows environment, enabling the optimum parameters of these charts to be obtained. These are used for controlling processes where minimum power is required for detecting extremely small shifts, and maximum power for detecting genuinely important ones.

It is possible to design EWMA and MEWMA charts that may reveal a very low false alarm

probability and that are, at the same time, genuinely powerful in detecting shifts considered important. The use of these charts would represent an extremely significant control tool in both practical situations as well as capable processes, processes hard to adjust, or whose cost of adjustment is high.

Acknowledgements

The authors acknowledge the financial support of the Ministry of Education and Science of Spain, Research Project Reference DPI2002-03537 and European FEDER funding.

References:

- [1] Lowry CA, Woodall WH, Champ CW, Rigdon SE. A Multivariate Exponentially Weighted Moving Average Control Chart. *Technometrics* 1992; 34: 46-53
- [2] Woodall, W.H. (1985). The statistical design of quality control charts. *The Statistician* , 34, 155-160.
- [3] Roberts, S. W. (1959). Control chart tests based on Geometrics Moving Averages. *Technometrics*, 1, 239-250.
- [4] Montgomery, D.C. Introduction to statistical quality control. New York: 4end edn, John Wiley, 2001.
- [5] Hunter JS. The exponentially weighted moving average. *Journal of Quality Technology* 1986; 18: 155-162
- [6] Crowder SV. Design of Exponentially Weighted Moving Average Schemes. *Journal of Quality Technology* 1989; 21: 155-162
- [7] Lucas JM, Saccucci MS. Exponentially Weighted Moving Average Control Schemes: Properties and Enhancements. *Technometrics* 1990; 32: 1-29.
- [8] Lowry CA, Montgomery DC. A review of multivariate control charts. *IIE Transactions* 1995; 27: 800-810.
- [9] Rigdon SE. An integral equation for the in-control average run length of a multivariate exponentially weighted moving average control chart. *Journal of Statistical Science and Simulation* 1995a; 52: 351-365.
- [10] Holland J. Adaptation in natural and artificial systems. Ann Arbor: University of Michigan Press, 1975.
- [11] Goldberg DE . Genetic Algorithms in Search, Optimization, and Machine Learning. Addison Wesley, 1989.
- [12] Bäck T. Evolutionary algorithms in theory and practice. Evolutionary strategies, evolutionary

- programming, genetics algorithms. New York: Oxford University Press, 1996.
- [13] Chambers LD. Practical Handbook of Genetic Algorithms: Applications, Vol.1. CRC Press, 1995.
- [14] Michalewicz Z. Genetic algorithms + data structures = evolution programs. Berlin: Springer, 1996.
- [15] Beasley D, Bull D, Martin R. An overview of genetic algorithms: Part 1. Fundamentals. University Computing, 1993a; 15: 58-69.
- [16] Beasley D, Bull D, Martin R. An overview of genetic algorithms: Part 2. Fundamentals. University Computing, 1993b; 15: 170-181.
- [17] Schaffer JD. Multiple objective optimization with vector evaluated genetic algorithms. Genetic Algorithms and Their Applications: Proc. Ist. Int. Conf. Genetic Algorithms. Hillsdale, NJ: Lawrence Erlbaum, 1985: 93-100.
- [18] Tabucanon MT. Multiple Criteria Decision Making in Industry. Elsevier Science Publishers, 1989.
- [19] Fonseca CM, Fleming PJ. An Overview of Evolutionary Algorithms in Multiobjective Optimization. Evolutionary Computation 1995; 3:1-16.
- [20] Zitzler E, Deb K, Thiele L, Coello Coello CA, Corne D. Eds, Evolutionary multi-criterion optimization . Proc. Ist. Int. Conf. (EMO'01): Springer, Berlin, 2001, vol. 1993. Lecture Notes in Computer Science.
- [21] Coello Coello CA, Van Veldhuizen DA, Lamont GB. Evolutionary Algorithms for Solving Multi-Objective Problems. New York: Kluwer, 2002.
- [22] Fonseca CM, Fleming PJ. Genetic algorithms for multiobjective optimization: Formulation, discussion and generalization. Proc. 5th Int. Conf. Genetic Algorithms. Ed. San Mateo, CA: Morgan Kaufmann, 1993: 416-423.
- [23] Horn J, Nafpliotis N, Goldberg DE. A niched pareto genetic algorithm for multiobjective optimization. Proc. 1st IEEE Conf. Evolutionary Computation, IEEE World Congress on Computational Intelligence. Piscataway, NJ: IEEE Service Center, 1994; 1: 82-87.
- [24] Srinivas N, Deb K. Multiobjective Optimization Using Nondominated Sorting in Genetic Algorithms. Evolutionary Computation 1995; 2: 221-248.
- [25] Zitzler E, Thiele L. Multiobjective evolutionary algorithms: A comparative case study and the strength pareto approach. IEEE Trans. Evol. Comput, 1999; 3: 257-271.
- [26] Knowles J, Corne DC. Aproximating the Nondominated Front Using Pareto Archived Evolutionary Strategy. Evolutionary Computation, 2000; 8: 149-172.
- [27] Aparisi F, García-Díaz, JC. Optimization of univariate and multivariate exponentially weighted moving-average control charts using genetic algorithms. Computers and Operations Research, 2004, 31, 1437-1454.